

## CARACTERISTIQUES TABLES ELEVATRICES SIMPLE CISEAUX

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
HX05-0806	500	800	1000	600	800	500	180
HX05-1208	500	1200	-	800	-	800	200
HX05-1308	500	1350	1700	800	1300	900	180
HX05-1310	500	1350	1700	1000	1500	900	180
HX05-1808	500	1800	2150	800	1300	1250	220
HX05-2208	500	2250	2650	800	1300	1600	220
HX10-1008	1000	1000	1300	800	1300	550	180
HX10-1208	1000	1200	-	800	-	800	200
HX10-1308	1000	1350	1600	800	1300	900	180
HX10-1310	1000	1350	1600	1000	1500	900	180
HX10-1312	1000	1350	1600	1200	1500	900	220
HX10-1808	1000	1800	2050	800	1300	1250	220
HX10-1812	1000	1800	2200	1200	1700	1250	235
HX10-2210	1000	2250	2600	1000	1500	1600	235
HX10-2215	1000	2250	2600	1500	2000	1600	300
HX20-1308	2000	1350	-	800	-	800	220
HX20-1308	2000	1350	1600	800	1300	900	230
HX20-1310	2000	1350	1600	1000	1500	900	230
HX20-1312	2000	1350	1600	1200	1500	900	230
HX20-1808	2000	1800	2150	800	1300	1250	250
HX20-1812	2000	1800	2150	1200	1700	1250	250
HX20-2012	2000	2000	2250	1200	1700	1250	250
HX20-2015	2000	2000	2250	1500	2000	1250	250
HX20-2212	2000	2250	2850	1200	1700	1600	300
HX20-2215	2000	2250	2850	1500	2000	1600	300
HX30-1310	3000	1350	1650	1000	1500	900	300
HX30-1311	3000	1350	1650	1100	1600	900	300
HX30-1810	3000	1800	2350	1000	1500	1100	300
HX30-2012	3000	2000	2500	1200	1700	1300	300
HX30-2015	3000	2000	2500	1500	2000	1300	300
HX30-2212	3000	2250	2750	1200	1700	1600	300
HX30-2215	3000	2250	2750	1500	2000	1600	300
HX30-3012	3000	3000	3200	1200	1700	2000	300
HX30-3015	3000	3000	3200	1500	2000	2000	300

## CARACTERISTIQUES TABLES ELEVATRICES SIMPLE CISEAUX

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
HX40-1512	4000	1500	1700	1200	1300	900	300
HX40-2012	4000	2000	2400	1200	1700	1300	300
HX40-2015	4000	2000	2400	1500	2000	1300	300
HX40-2512	4000	2500	3000	1200	1700	1600	400
HX40-2515	4000	2500	3000	1500	2000	1600	400
HX40-3012	4000	3000	3450	1200	1700	2000	400
HX40-3015	4000	3000	3450	1500	2000	2000	400
HX50-2212	5000	2250	2750	1200	1700	1300	400
HX50-2215	5000	2250	2750	1500	2000	1300	400
HX50-2512	5000	2500	3000	1200	1700	1600	400
HX50-2515	5000	2500	3000	1500	2000	1600	400
HX50-3012	5000	3000	3400	1200	1700	2000	400
HX50-3015	5000	3000	3400	1500	2000	2000	400
HX60-2212	6000	2250	2700	1200	1700	1300	400
HX60-2512	6000	2500	2950	1200	1700	1600	400
HX80-3020	8000	3000	3450	2000	2300	1500	600
HX100-3020	10000	3000	3450	2000	2300	1500	600

## CARACTERISTIQUES TABLES ELEVATRICES DE QUAI

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
HQ20-0806	2000	2000	2300	1500	1950	1300	305
HQ20-2020	2000	2000	2300	2000	2350	1300	305
HQ20-2515	2000	2500	2800	1500	1950	1600	305
HQ20-2520	2000	2500	2800	2000	2350	1600	305
HQ20-2524	2000	2500	2800	2400	2500	1600	305
HQ20-3020	2000	3000	3000	2000	2350	1600	305
HQ20-3024	2000	3000	3000	2400	2500	1600	305

## CARACTERISTIQUES TABLES ELEVATRICES DE QUAI

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
HQ30-2015	3000	2000	2300	1500	1950	1300	305
HQ30-2020	3000	2000	2300	2000	2350	1300	305
HQ30-2515	3000	2500	2800	1500	1950	1600	305
HQ30-2520	3000	2500	2800	2000	2350	1600	305
HQ30-2524	3000	2500	2800	2400	2500	1600	305
HQ30-3020	3000	3000	3000	2000	2350	1600	305
HQ30-3024	3000	3000	3000	2400	2500	1600	305
HQ40-2015	4000	2000	2300	1500	1950	1300	305
HQ40-2020	4000	2000	2300	2000	2350	1300	305
HQ40-2515	4000	2500	3000	1500	1950	1600	450
HQ40-2520	4000	2500	3000	2000	2350	1600	450
HQ40-2524	4000	2500	3000	2400	2500	1600	450
HQ40-3020	4000	3000	3000	2000	2350	1600	450
HQ40-3024	4000	3000	3000	2400	2500	1600	450
HQ60-2215	6000	2250	2500	1500	1950	1300	450
HQ60-2220	6000	2250	2500	2000	2350	1300	450
HQ60-2515	6000	2500	3000	1500	1950	1600	450
HQ60-2520	6000	2500	3000	2000	2350	1600	450
HQ60-2524	6000	2500	3000	2400	2500	1600	450
HQ60-3020	6000	3000	3000	2000	2350	1600	450
HQ60-3024	6000	3000	3000	2400	2500	1600	450
HQ80-3020	8000	3000	3000	2000	2200	1600	600
HQ80-3024	8000	3000	3000	2400	2500	1600	600
HQ100-3020	10000	3000	3000	2000	2200	1600	650
HQ100-3024	10000	3000	3000	2400	2500	1600	650

## CARACTERISTIQUES TABLES ELEVATRICES A DOUBLE CISEAUX VERTICAUX

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
H2X04-0806	400	800	1150	600	850	800	200
H2X05-1310	500	1350	1700	1000	1200	1800	350
H2X05-2210	500	2250	2600	1000	1500	3200	400
H2X10-1310	1000	1350	1700	1000	1500	1800	350
H2X10-1510	1000	1500	1850	1000	1500	2000	350
H2X10-1810	1000	1800	2150	1000	1500	2500	350
H2X10-2210	1000	2250	2600	1000	1500	3200	500
H2X10-1612	1000	1650	1950	1200	1700	3300	530
H2X15-1310	1500	1350	1600	1000	1500	1800	400
H2X20-1510	2000	1500	1900	1000	1500	2000	500
H2X20-1518	2000	1500	1900	1800	2000	2000	500
H2X20-2210	2000	2250	2650	1000	1500	3200	530
H2X20-2212	2000	2250	2600	1200	1700	3800	800
H2X20-2218	2000	2250	2600	1800	2000	3800	800
H2X20-3020	2000	3000	3300	2000	2500	5000	1150
H2X20-3012	2000	3000	3300	1200	1700	4300	650
H2X25-2512	2500	2500	2800	1200	1800	3200	530
H2X30-2513	3000	2500	2900	1300	1800	3000	700
H2X30-2515	3000	2500	2900	1500	2000	4000	1100
H2X40-2515	4000	2500	2900	1500	2000	3000	700
H2X40-3020	4000	3000	3300	2000	2500	5000	1500
H2X50-3520	5000	3500	3700	2000	2500	4000	900
H2X80-4025	8000	4000	4300	2500	2800	5000	1100
H2X100-4025	10000	4000	4300	2500	2800	4000	1500

## CARACTERISTIQUES TABLES ELEVATRICES A CISEAUX HORIZONTAUX

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
HXX10-2710	1000	2750	4500	1000	1500	900	230
HXX20-2710	2000	2750	4500	1000	1500	900	240
HXX20-3610	2000	3650	5600	1000	1500	1250	260
HXX20-4020	2000	4000	5600	2000	2500	1250	260
HXX20-4510	2000	4550	6000	1000	1500	1600	300
HXX20-4515	2000	4550	6000	1500	2000	1600	300
HXX20-6015	2000	6000	7500	1500	2000	2000	300
HXX20-6020	2000	6000	7500	2000	2200	2000	300
HXX30-2710	3000	2750	4500	1000	1500	900	240
HXX30-3610	3000	3650	4500	1000	1500	1250	260
HXX30-4012	3000	4050	6000	1200	1700	1250	260
HXX30-4510	3000	4550	6000	1000	1500	1600	300
HXX30-6015	3000	6000	7500	1500	2000	2000	300
HXX30-6020	3000	6000	7500	2000	2200	2000	300
HXX40-3610	4000	3650	5600	1000	1500	1100	300
HXX40-4012	4000	4050	6200	1200	1700	1300	340
HXX40-4512	4000	4550	6800	1200	1700	1600	340
HXX40-4520	4000	4550	6800	2000	2500	1600	340
HXX40-6015	4000	6000	7500	1500	2000	2000	340
HXX40-6020	4000	6000	7500	2000	2200	2000	340
HXX50-3610	5000	3650	5600	1000	1500	1100	300
HXX50-4012	5000	4050	6200	1200	1700	1300	340
HXX50-4512	5000	4550	6500	1200	1700	1600	340
HXX50-4520	5000	4550	6500	2000	2500	1600	340
HXX50-6015	5000	6000	6500	1500	2000	2000	340
HXX50-6020	5000	6050	7800	2000	2200	2000	400
HXX60-3612	6000	3650	5000	1200	1500	1100	340
HXX60-4012	6000	4050	5500	1200	1700	1300	340
HXX60-4512	6000	4550	6000	1200	1700	1600	340
HXX60-4520	6000	4550	6000	2000	2500	1600	340
HXX60-6015	6000	6050	7800	1500	2000	2000	400
HXX60-6020	6000	6050	7800	2000	2200	2000	400
HXX80-4512	8000	4550	6000	1200	1700	1300	400
HXX80-5012	8000	5050	6500	1200	1700	1600	400
HXX80-5020	8000	5050	6500	2000	2500	1600	400
HXX80-6015	8000	6050	7500	1500	2000	2000	400
HXX80-6020	8000	6050	7500	2000	2200	2000	400

## CARACTERISTIQUES TABLES ELEVATRICES EXTRA-BASSE

Référence	Capacité (kg)	Longueur (mm)	Long. Maxi (mm)	Largeur (mm)	Larg. Maxi (mm)	Course (mm)	Hauteur repliée (mm)
<b>Plateau plein</b>							
<b>HEB05-1306</b>	500	1350	2000	600	800	800	80
<b>HEB05-1308</b>	500	1350	2000	800	1050	800	80
<b>HEB05-1310</b>	500	1350	2000	1050	1400	800	80
<b>HEB10-1306</b>	1000	1350	2000	600	800	800	80
<b>HEB10-1308</b>	1000	1350	2000	800	1050	800	80
<b>HEB10-1310</b>	1000	1350	2000	1050	1400	800	80
<b>HEB12-2708</b>	1200	2700	4000	850	1100	800	90
<b>HEB15-2708</b>	1500	2700	3400	850	1100	800	90
<b>HEB20-1408</b>	2000	1400	2100	800	1050	800	100
<b>HEB20-1412</b>	2000	1400	2200	1200	1500	800	100
<b>HEB30-2811</b>	3000	2800	4200	1100	1400	800	130
<b>Plateau en "U"</b>							
<b>HEBU05-1310</b>	500	1350	-	1050	-	800	80
<b>HEBU10-1310</b>	1000	1350	-	1050	-	800	80
<b>HEBU16-1716</b>	1600	1730	-	1618	-	800	85
<b>HEBU16-1717</b>	1600	1730	-	1718	-	800	85
<b>HEBU20-1412</b>	2000	1400	-	1200	-	800	100